

# FLUX SERIES

## Flux Single Surface Wall Mount

### RECOMMENDATIONS:

Use only tempered safety glass.

### MAINTENANCE GUIDELINES:

You should never apply an abrasive cleaner on hardware. Drying the hardware with a soft towel after each use is the most effective way to get the most out of our hardware. To clean our hardware a little bit of mild dish soap and warm water should be applied using a non-abrasive cloth or towel. Rinse with clean warm water and then dry. Doing this after each use will ensure the longest life possible for the hardware. Leave the shower door slightly open to allow air to circulate; this will discourage the growth of mildew. Another important cleaning technique for shower doors is to squeegee after showering. It removes excess moisture from the shower and avoids water spots that can be difficult and almost impossible to remove. A plastic squeegee is best because metal could damage a shower.

### SPECIFICATIONS

Glass Sizes: 3/8" (10mm) to 1/2" (12mm) thick tempered safety glass

Light: Overall Opening Width

Glass Door Width: Light + 3 1/8"

Glass Door Height: Overall Opening height + 15/16"

Passage: Light - 5 1/8"

Min. Bar Length: (2x Light) - 3/8"

Bar Height: Overall opening Height + 2 5/16"

X: Max. Distance between tube to glass/wall connectors

X: (light - 5 5/8")/2

ESA-1A  
ROLLER



2 PCS

ESA-5L LEFT SIDE  
DOOR STOP



1 PC

ESA-5R RIGHT  
SIDE DOOR STOP



1 PC

ESA-6 BOTTOM  
FLOOR GUIDE



1 PC

TB-001-EXT-105  
TOP SLIDING TRACK



105"  
1 PC

ESA-2 TUBE TO  
WALL CONNECTOR



5 PCS



EAA-022  
END CAP



2 PCS



**SEE TEMPLATE BELOW**  
Refer to Dimensions Shown  
to Ensure Accuracy



# FLUX SERIES

## Flux Double Surface Wall Mount

**SPECIFICATIONS**

Glass Sizes: 3/8" (10mm) to 1/2" (12mm) thick tempered safety glass

Light: Overall Opening Width  
 Each Glass Door Width: (Light/2) + 1 7/16"  
 Glass Door Height: Overall Opening height + 15/16"



Passage: Light - 10 1/4"  
 Min. Bar Length: Light - 1 15/16"  
 Bar Height: Overall opening Height + 2 5/16"  
 X: Max. Distance between tube to glass/wall connectors  
 X: ((light / 2) - 5 5/8")/2

<b>ESA-1A ROLLER</b>  4 PCS	<b>ESA-5L LEFT SIDE DOOR STOP</b>  2 PCS	<b>ESA-5R RIGHT SIDE DOOR STOP</b>  2 PCS	<b>ESA-6 BOTTOM FLOOR GUIDE</b>  2 PCS
<b>TB-001-EXT-105 TOP SLIDING TRACK</b>  105" 2 PCS	<b>ESA-2 TUBE TO WALL CONNECTOR</b>  10 PCS	<b>EAA-022 END CAP</b>  4 PCS	

55" MAX WIDTH

MAX 220 LBS

**SEE TEMPLATE BELOW**  
 Refer to Dimensions Shown to Ensure Accuracy



1" DIAMETER FLAT HOLES



# FLUX SERIES

## Flux Single Glass Mount

### SPECIFICATIONS

Glass Sizes: 3/8" (10mm) to 1/2" (12mm) thick tempered safety glass

Light: Overall Opening Width

Glass Door Width: Light + 1 9/16"

Glass Door Height: Overall Opening height + 15/16"


Passage: Light - 5 1/8"


Min. Bar Length: (2x Light) - 2 13/16"

Bar Height: Overall opening Height + 2 5/16"



X: Max. Distance between tube to glass/wall connectors

X: (light - 5 5/8")/2

<b>ESA-1A ROLLER</b>  2 PCS	<b>ESA-5L LEFT SIDE DOOR STOP</b>  1 PC	<b>ESA-5R RIGHT SIDE DOOR STOP</b>  1 PC	<b>ESA-6 BOTTOM FLOOR GUIDE</b>  1 PC
<b>TB-001-EXT-105 TOP SLIDING TRACK</b>  105" 1 PCS	<b>ESA-3 TUBE TO GLASS CONNECTOR</b>  6 PCS	<b>EAA-022 END CAP</b>  1 PCS	<b>ESA-7F TUBE TO WALL END MOUNT</b>  1 PC



**SEE TEMPLATE BELOW**  
Refer to Dimensions Shown to Ensure Accuracy



# FLUX SERIES

## Flux Single Glass Sidelites


### SPECIFICATIONS

Glass Sizes: 3/8" (10mm) to 1/2" (12mm) thick tempered safety glass

Light: Overall Opening Width  
 Glass Door Width: Light + 3 1/8"  
 Glass Door Height: Overall Opening height + 15/16"

Passage: Light - 5 1/8"  
 Min. Bar Length: (2x Light) + 3 1/2"  
 Bar Height: Overall opening Height + 2 5/16"  
 X: Max. Distance between tube to glass/wall connectors  
 X: (light - 5 5/8")/2

ESA-1A ROLLER	ESA-5L LEFT SIDE DOOR STOP	ESA-5R RIGHT SIDE DOOR STOP	ESA-6 BOTTOM FLOOR GUIDE
 2 PCS	 1 PC	 1 PC	 1 PC
TB-001-EXT-105 TOP SLIDING TRACK	ESA-3 TUBE TO GLASS CONNECTOR	EAA-022 END CAP	
 105" 1 PCS	 7 PCS	 2 PCS	



**SEE TEMPLATE BELOW**  
 Refer to Dimensions Shown to Ensure Accuracy

