





ELEMENT FRAMELESS DOUBLE BYPASS SLIDING SHOWER DOOR SYSTEM



FINISHES AVAILABLE











PRODUCT SPECIFICATION:

- Easy installation
- For 3/8" tempered glass
- Max weight: 220LBS

Finishes Available

- · 73" Stainless steel header track
- Fully frameless double sliding glass design
- Equipped rollers with anti-jumping device
- Adjustable rollers for smooth sliding
- Splash proof threshold to prevent water spillage (minimum threshold depth of 3 3/4 in. (95 mm) required)
- · Optional 24" center to center towel bars





Optional Towel Bar



System has an entirely different look from traditional sliding systems.

The use of minimal hardware provides a frameless look that gives the enclosure an almost floating appearance. Specially designed roller bearings allow for quiet and easy opening and closing of the door. One sliding panel and one fixed panel make the Streamline Series both practical and beautiful.

STREAMLINE SLIDING SHOWER DOOR SYSTEM





FINISHES AVAILABLE











Optional Accessories



Accessory Kit for 90-degree Return is used in conjunction with track holder fitting for wall (sold separately)

SK-027



System features one sliding door and

Specially designed roller bearings for

• For 5/16" to 3/8" (8 to 10 mm) thick

U-Channel or glass clamps for fixed

panel must be ordered separately

tempered glass (Not included)

Use monolithic tempered glass

Fixed and sliding panels may be

one fixed panel

quiet door movement

reversed for installation

Polished or brushed

stainless steel finish

STREAMLINE PLUS 4 ROLLER SLIDING SHOWER DOOR SYSTEM

- 180-degree Streamline Series Sliding System has an entirely different look from traditional sliding systems. The use of minimal hardware provides a frameless look that gives the enclosure an almost floating appearance.
- · Specially designed roller bearings allow for quiet and easy opening and closing of the door.
- · One sliding panel and one fixed panel make the Streamline Series both practical and beautiful.

Optional Accessories



FINISHES AVAILABLE















Standard 180 Kit includes:


- One 78 3/4 Header Bar 1
- Four Rollers 2
- Two Stoppers 3
- Two track Holder Fittings for Wall 4
- Two track Holder Fittings for Fixed Panel 5
- One Thru Glass Pull 6
- One Bottom Door Guide 7



QUATRO SLIDING SYSTEM NOW AVAILABLE IN SPEACIALTY FINISHES

NOW AVAILABLE IN HEAVY DUTY AND EXTENDED HEADER VERSION (105")

- · SGS Quatro Sliding Shower Door System delivers an exceptionally smooth ride and travel on our 1" diameter heavy-duty stainless steel tube.
- · Quatro systems can accommodate 3/8" or 1/2" thick glass. Wall to wall and wall to glass options are available. Standard wall to wall kit includes 4 rollers, 2 fixed panel clamps, 2 tube to wall connectors, 2 stoppers, 1 bottom guide, and 1 78-3/4" Tube Track.
























BAYLINE DOUBLE BYPASS SHOWER K.D.




Designed for 3/8" Thick Tempered Glass

- · Three popular stock finishes to select from-through-glass, top hangers for immediate installation, with no waiting for silicone to dry
- Double roller top hanger for 3/8" (10 mm) glass
- · K.D. Kits include two 24" single-sided towel bars with low profile end cap, all necessary aluminum extrusions, nylon rollers, bottom guide, screws, and bumpers (glass not included)
- Towel bars, and top hangers require holes in glass

Stock sizes:

• 72" wide x 80" high























COVERT 144" SERIES SOFT CLOSE DOUBLE DOOR SLIDING W/ DOUBLE FIX PANEL

- · Covert interior sliding glass walls are ideal for office fronts, conference rooms, bathroom and bedroom entrances, shower enclosures, etc.
- · Glass panels held through high weight capacity pressure clamps with no glass drillings (use of tempered or laminated glass)
- Hydraulic soft-close feature prevents slamming
- · Reduces noise
- Protects the glass
- 5-year warranty
- Tested to 100,000 cycles
- Soft closing sliding system for interior partitioning
- · Soft closing technology ensures comfortable door operation, and allowing gentle opening and closing without shock or vibration
- Predrilled starter holes on centerline for easy mounting
- Ceiling mountable
- · Surface mountable
- Glass mountable




COVERT 144" HEAVY DUTY SERIES SOFT CLOSE SLIDING SYSTEM

MAX WEIGHT- 330LBS!

- Single Door hardware kit
- Double Door hardware kit
- Fixed panel u-channel adapter 51"
- Track to glass adapters
- NEW-3/8" spacer filler 78-3/4" length





- Hydraulic soft-close feature prevents slamming
- Reduces noise
- 5-year warranty
- Tested to 100,000 cycles
- Predrilled starter holes on centerline for easy mounting
- Ceiling mountable
- Surface mountable
- · Glass mountable

COVERT 144" SERIES SOFT CLOSE SLIDING SYSTEM




- 180° Surface Application with bi parting doors
- Minimal gap between the doors and the wall to enhance aesthetic and acoustical features
- · Use of 3/8" and ½" glass doors






- 90° Corner Unit application with bi parting doors
- · Ideal for offices partitions, conference rooms, bedrooms entrances, lounges, etc. Minimalist design with a compact Header track holding panels up to 10' high
- Minimal gap between the doors and the wall to enhance aesthetic and acoustical features
- · Use of 3/8" and ½" glass doors up to 330lbs



COVERT 144" SERIES SOFT CLOSE SLIDING SYSTEM APPLICATIONS


Single Glass Door Surface Mount





Single Glass Door Pocket Mount







Single Glass Door Transom Mount





Single Sliding Glass W/ Fixed Panel





COVERT 144" SERIES SOFT CLOSE SLIDING SYSTEM APPLICATIONS


2 Fixed Glass Panels and 1 Sliding Glass Door





2 Fixed Glass Panels and 1 Sliding Glass Door Center







3 Fixed Glass Panels and 1 Sliding Glass Door Right





Bi Parting Double Glass Doors






COVERT 144" SERIES SOFT CLOSE SLIDING SYSTEM APPLICATIONS


Bi Parting Double Glass Doors w/ 2 Fixed Panels





90° Corner Unit w/ Double Bi Parting Glass Doors







90° Corner Unit 2 Fixed Glass Panels w/ Double Bi Parting Glass Doors









COMMERCIAL LADDER PULL

CLP COMMERCIAL LADDER PULL 1-1/4" DIAMETER

Details

Model # CLP-24: Overall of 24" with 12" Center to Center Model # CLP-36: Overall of 36" with 24" Center to Center Model # CLP-48: Overall of 48" with 36" Center to Center Model # CLP-60: Overall of 60" with 48" Center to Center Model # CLP-72: Overall of 72" with 60" Center to Center Model # CLP-84: Overall of 84" with 72" Center to Center

- For Glass, Aluminum, and Wood Doors
- · 11/4" Diameter Commercial Grade Back to Back Ladder
- Modern, Elegant Design for Office and Commercial Settings
- Includes Mounting Hardware fot 1-3/4" to 2" Thick Doors



















Sold as Pair

- · Max weight per pair-176 lbs
- Max width is 40"
- Chrome and brushed
- · Adjustable closing speed-4-15 seconds







SGS FRAMELES FENCE CLAMPS SQUARE & ROUND SURFACE MOUNT

- · 2205 Duplex Stainless Steel
- 6-1/4" Tall Spigot Clamp
- 4" x 4" Square Surface Mount Base Plate
- Includes Cover Plate
- · No Glass Fabrication or Holes Required
- · Available in (4) Architectural Finishes

SPG-SQR-AP-012



SPG-RD-AP-011














316 STAINLESS STEEL 2" DIAMETER BY 1 3/4" LONG STAND-OFFS

Standoffs are perfect for attaching heavy glass, granite, and marble to the top of cabinetry. They can be mounted using the 3/8"-16 thread allen screws, threaded rods, or hanger bolts. They are 3/8"-16 threaded up to 1" (25.4 mm) deep at both ends.









CARBIDE TILE / GLASS DRILL BITS

- Carbide spear point with uniquely sharpened edges for easy penetration in glass, mirrors, ceramics and other hard brittle materials like stucco
- · Cuts perfectly round holes without chipping or breaking the material
- · Spear-pointed tip design reduces breakout and the bit features a carbide tip for extended bit life



Straight Shank Drill Bits HEX Shank Drill Bits

- · 1/8"
- · 3/16"
- · 1/4"
- 5/16"

- · 1/8"
- . 3/16"
- · 1/4"
- · 5/16"

Straight Shank



Hexagon Shank



FLUX SERIES INTERIOR BARN DOOR HARDWARE

Flux Sliding System Features:

- Anti-lift features for added safety
- All 316 alloy brushed stainless steel construction
- Ideal for interior applications
- For use with 3/8" tempered glass
- Maximum door weight: 220 lbs.
- Maximum panel width: 53-1/2"
- Maximum panel height: 98-7/16"
- Maximum track length: 105"





FINISHES AVAILABLE











closet doors, bedrooms, bathrooms, office and more. We invite you to browse our site. We believe you will find the right solution to your needs. We offer kits for Flux Sliding System features.

SGS Flux Designer Sliding System will

travel as well as an aesthetic modern

provide an exceptionally smooth ride and

touch to your home or business. The rail

system works with a 1" stainless steel

It can be used with materials such as

environment. This system is ideal for

tube which delivers improved

glass or wood depending on the


performance and aesthetic.



21



FLUX SERIES SLIDING GLASS DOOR KITS



Flux series Single Sliding Door Wall/Surface Mount





Kit Includes:






1 Left Stop 1 Right Stop 1 Floor Guide Connectors



5 Tube to Glass







View From Top of Opening

Flux Series Double Sliding Door Wall/Surface Mount









Kit Includes:

4 Top Rollers
2 Left Stop 2 Right Stop 2 Floor Guide Connectors 4 End Caps Tube 105"

2 Top Sliding Tube 105"

FLUX SERIES SLIDING GLASS DOOR KITS





Viewed From Top of Opening

Flux Series Single Sliding Door w/ Sidelites Glass

FINISHES AVAILABLE







Kit Includes:

2 Top Rollers

1 Left Stop

1 Right Stop

1 Floor Guide

7 Tube to Glass Connectors

2 End Caps

1 Top Sliding Tube 105"















Flux Series Single Sliding Door Glass Mount

FINISHES AVAILABLE







Chrome

Kit Includes:

2 Top Rollers 1 Left Stop 1 Right Stop

1 Floor Guide 6 Tube to Glass Connectors

2 End Caps

1 Track 105"

1 Wall Mount End Cap


















FLUX SERIES SLIDING DOOR SPARE PARTS & ACCESSORIES

ESA-1A Sliding Rollers




ESA-2 Tube to Surface Clamp






ESA-3 Tube to Glass Clamp





ESA-5L Left Door Stopper






ESA-5R Right Door Stopper






ESA-6 Bottom Floor Guide





ESA-7F Tube to Wall Connector






EAA-022 End caps





TB-001 Header Tube





Spanner Wrench



RKS-1 Designer Finger Pull



SGS IMPERIAL SERIES SHOWER HINGES



IMP-110



IMP-110-HP



IMP-110-0S



IMP-110-SB



- Solid forged brass
- Dual precision wound Stainless steel springs
- Gripper gaskets















WALL MOUNT HINGES/GLASS TO GLASS







IMP-1805



- · 5° Preset pin
- Solid forged brass
- Dual precision wound stainless steel springs
- Gripper gaskets

IMP-180



IMP-135



IMP-090



- Solid forged brass
- Dual precision wound stainless steel springs
- Gripper gaskets

















WALL MOUNT HINGES/GLASS TO GLASS



ROY-110-HP



ROY-110-0S



ROY-180



ROY-135



- Solid forged brass
- Dual precision wound stainless steel springs
- Gripper gaskets

FINISHES AVAILABLE















SGS SUPREME SERIES HEAVY DUTY SHOWER HINGES



Glass to Glass

SUP-112



SUP-112-HP



SUP-110



SUP-180



SUP-090



SUPB-180





- Solid forged brass
- Dual precision wound stainless steel springs
- Gripper gaskets

















SGS SUPREME SERIES HEAVY DUTY SHOWER HINGES



SUPB-112-HP



SUPB-112-HP-AJ



SUPB-112-0S-AJ



- Beveled edge
- Solid forged brass
- · Dual precision wound stainless steel springs
- Gripper gaskets















ADJUSTABLE SERIES HEAVY DUTY SHOWER HINGES



SUP-112-AJ Full Back Plate



SUP-135-AJ 135° Glass To Glass



SUP-180-AJ 180° Glass To Glass



- Solid forged brass
- Dual precision wound stainless steel springs
- Gripper gaskets















Matte Black

SHOWER DOOR PIVOT HINGES



LRG02TSQ



Square Glass To Glass mount transom standard

LRG-360SQG2G180



Square Edge Top Bottom mount pivot hinge

LRG-360SQ



Square Edge Standard Duty

LRG-360-RVL Bracket



Reversible Pivot Hinge Wall Mount Bracket















SHOWER DOOR PIVOT HINGES



LRG02T



Mount Transon Standard

LRG-360G2G180



Beveled Edge Top Or Bottom Mount Pivot Hinge

LRG-360



Beveled Edge Standard Duty Top/Bottom Pivot

LRG-360-RVL **Bracket**



Reversible Pivot Hinge Wall Mount Bracket













SHOWER DOOR PIVOT HINGES HEAVY DUTY



SUP-360-SQ



Heavy Duty Top/Bottom Pivot HInge

SUPQ02T



Square Glass To Glass Mount Transom Heavy Duty

SUPHD-360-RVL **Bracket**



Heavy Duty Reversible Pivot Hinge Wall Mount Bracket















SHOWER DOOR PIVOT HINGES HEAVY DUTY



SUPB-360



Heavy Duty Beveled Top/Bottom Pivot Hinge

SUPB02T



Beveled Glass To Glass Mount Transom Heavy Duty

SUPHD-360-RVL Bracket



Heavy Duty Reversible Pivot Hinge Wall Mount Bracket















SHOWER DOOR HEADERS & ACCESSORIES













SUPPORT BARS & CONNECTORS

SQ-ST-001-Support



Square Tube Shower Support Bar



SQ-KF-1003



Adjustable Square Tube To Wall Connector

SQ-MA-20S



Shower Support Bar Tube
To Wall Connector

SQ-MA-10S



Square Shower Support Bar Tube To Glass Connector





SUPPORT BARS & CONNECTORS

RD-TB-001-Support



Round Shower Support Bar



RD-KF-060



Adjustable Round Tube To Wall Connector

RD-KF-023



Round Tube To Glass Connector RD-KA-30S



Round Tube To Wall Connector















NO FABRICATION GLASS CLAMPS







- No glass fabrication required
- Available several styles and finishes
- Use monolithic tempered glass

- No glass fabrication required
- Available several styles and finishes
- Use monolithic tempered glass













Brushed Nickel Chrome

Matte Black

Brushed Gold

Brushed Bronze

NO FABRICATION GLASS CLAMPS

SLE-90AJ Adjustable

SLE-90

SLE-135

SLE-90LW

SLE-90RW











For 135° Neo Angles

Left Side Mount

Right Side Mount

- Use monolithic tempered glass
- Solid brass
- Assists with shear forces
- · Holds glass panels in position while sealant cures

FINISHES AVAILABLE



Chrome











Brushed Nickel

Matte Black

www.structureglasssolutions.com SGS | Catalogue



SGS DESIGNER GLASS CLAMPS



GCR-110



GCR-901



GCR-902



GCR-135



- Clip size 13/4" x 1 3/4"
- Used to secure fixed panels of glass for Frameless shower enclosures
- Solid brass

A nice option to more traditional U-channel, in that the clamps help the appearance of an 'All-Glass' look glass fabrication required to accommodate clamps use monolithic tempered glass.



GLASS 3/8"-1/2"











Brushed Bronze

GLASS CLAMPS



GCS-110



GCS-901



GCS-902



GCS-135



Clip Size 1 3/4" x 1 3/4"

- Used to secure fixed panels of glass for frameless shower enclosures
- Solid brass

A Nice Option to More Traditional U-channel, in that the Clamps help the appearance of an 'All-Glass' Look Glass Fabrication required to accommodate Clamps use Monolithic Tempered Glass.

FINISHES AVAILABLE



Chrome











HEAVY DUTY GLASS CLAMPS

GCS-200



2"X2"Heavy Duty Wall To Glass Square Edges Glass

GCS-201



2"X2" Wall Mount Square Edges Glass Clamp W/Leg

GCS-300



Heavy Duty 3 1/2"x 2 1/8" Square Edges Glass Clamp

GCS-900CF



Square Heavy Duty 90° Glass To Glass Clamp Closed

GCS-200-180



5"X2" 180° Heavy Duty Glass To Glass Square Edges

GCS-900135CF



Square Heavy Duty 135° Clamp Closed Face

GCS-200-902



2X2" 90° Heavy Duty Glass To Glass Square Glass

FINISHES AVAILABLE











Bronze

in that the clamps help the appearance of an 'All-Glass' look glass fabrication required to accommodate clamps use monolithic

A nice option to more traditional U-channel,

frameless shower enclosures

Solid brass

tempered glass.

• For 5/16" to 1/2" (8 to 12 mm) thick glass

· Used to secure fixed panels of glass for

Chrome

44 www.structureglasssolutions.com SGS | Catalogue

HEAVY DUTY GLASS CLAMPS

GCB-110



Heavy Duty 2"x2" Beveled Edge Glass Clamp

GCB-180CF



5"x 2" Beleved 180° Heavy Duty Glass To Glass Edge

GCB-201



2"x2" Wall Mount Beveled Edge Glass Clamp W/Leg

GCB-110-900CF



Beleved Heavy Duty 90° Glass To Glass Clamp Closed

GCB-300



Heavy Duty 3 1/2"x 2 1/8" Beleved Glass Clamp

GCB-135-900CF



Beleved Heavy Duty 135° Glass To Glass Clamp Closed












HEADERS – U-CHANNELS & ACCESSORIES













SHOWER DOOR PULLS

SDH-200



Traditional Back To Back Tubular Pull Handle



SDH-MT



Mitered Corner Back To Back Pull Handle



SDH-HL



Back To Back Ladder Handle



SDQ



Square Back to Back Pull Handle



SDQ-HL



Square Back To Back Ladder Handle















TOWEL BARS - TOWEL BAR COMBOS

SDQ-SS



Square Single Sided Pull Handle



SDH-TC



Traditional Pull Handle Towel Bar Combo



TB



Tubular Single Sided Towel Bar



SGS-Element-TB-24



Element Single Sided Towel bar













Chrome

Brushed Nickel

SHOWER DOOR KNOBS

MC-001



MC-001-Thru Glass Finger Pull

RKS-1



RKS-1 Solid Finger Pull

GDK-45



Modern Square Style Back T Back Shower Door Knob

GDK-09



Crescent Style Grip Back to Back Shower Door Knob **GDK-02**



Modern Round Style Back To Back Shower Door Knob **GDK-01**



Traditional Bell Syle Back to Back Shower Door Knob

FINISHES AVAILABLE



Chrome











GLASS TOOLS & GLAZING SUPPLIES

XTAGRIP




Xtragrip Green Mirror Adhesive

PHS102



Wall Nount Backplate Screws 10-PK Philips Head

IMP-ROY-GSKT



10-PK Imperial Royal Standard Duty Hinge

SUP-GSKT



10-PK Supreme Series Heavy Hinge Gsket

SWPSVR100



SGS SWEEPSAVER Soft Leg Trimmer

COBRA



Cobra Tip Straight Shank Drill Bit



TD



Straight Shank Carbide Spearpoint Drill Bit



TD-HEX



Hex Shank Carbide Spearpoint Drill Bit



SGSS150C



SGS S150 Series acetic cure Silicone Sealant-Clear

SGSW19AF



SGS Glass Cleaner (Ammonia Free)

GLASS TOOLS & GLAZING SUPPLIES

SNOZSIL



Screw-On Silicone Nozzle 4" Length

SGSGWA19



SGS Glass Cleaner



(Ammoniated Formula)

ANCH-CONE



Cronical Plastic Expansion Anchors



ANCH





Plastic Expansion Anchors



SGSRB9



Single Edge Razon Blades 100PK

VHB



Transparen Acrylic Very Hi Bond Ahdesive Tape

S-GEB439



SGS Gunther Extra Build Mastic Caetridge

SGSCPSB



Clear Plastic Setting Blocks

Size



1/8"x1/4"x2"





SGSSHM12



12" Wood Shim 36/PK

SGS-C421-AXION CERIUM



Axion White Cerium Oxide Compound With With Suspesion Agent

FRAMELESS SHOWER DOOR HALF-ROUND THRESHOLD



1/4"

(6 mm)

These shower door thresholds are mounted directly below the shower door to let the water drain back into the shower stall. Ideal for flat or out-sloping curbs. The tapered style sill leaves a minimal sightline from the exterior of the shower.




















SGS Clear Plastic L-Seal adheres to the glass or wall. Simply peel back the pre-applied tape lining and install. Soft bumper on seal provides quiet door closure.



PART PVC-14SL-3/8

Versatile seal can be used as bottom sweep, it can be used vertically behind the hinged doors to help prevent water leakage, and it can also be used for 135° neo angle showers.



PVC-26-1/2 SGS Polycarbonate soft Leg H-Jamb 180-degree for 1/2" Glass

This SGS 'Y' jamb seal strike jamb with firm/soft leg is for use on 180-degree inline glass-to-glass applications.

Snaps onto the fixed panel with the lip on the strike side.

The 'u' portion is rigid, and the single leg is firm/soft to cushion the closing and does not allow door to swing in. Snaps onto fixed panel in line with the door.

PS-13-381



Quatro Sliding System Seal

SGS 3/8" Polycarbonate U with 90-degree Vinyl Fin seal

SGS Polycarbonate 'U' with 90-degree Vinyl Fin seals multiple uses include applying to the sliding door or fixed panel of a Quatro Sliding System, or as a 90-degree seal for a fixed panel meeting a door at 90-degree.

PVC-07-3/8



SGS Clear Co-Extruded Bottom Wipe with drip rail for 3/8" Glass

The SGS Clear Bottom Wipe with drip rail snaps onto bottom of door. The soft wipes on bottom create a water-resistant seal. 45-degree drip rail sheds water back into the shower.

PVC-07-1/2



SGS Clear Co-Extruded Bottom Wipe with drip rail for 1/2" Glass

The SGS Clear Bottom Wipe with drip rail for ½" thick glass snaps onto bottom of door. The soft wipes on bottom create a water-resistant seal. 45-degree drip rail sheds water back into the shower.


Glass Door Glass

GLASS THICKNESS MEIGHT 00
3/8" 5/16"

SGS Translucent Vinyl Bulb Seal for 3/8 Glass

The SGS Clear Polycarbonate 'U' with bulb attachment is a versatile seal that can be mounted to the edge of a door or panel for a variety of installation configurations. The soft bulb portion of the seal allows doors to swing both in and out of the enclosure if desired.






SGS Translucent Vinyl Bulb Seal for 1/2" thick Glass

The SGS Clear Polycarbonate 'U' with bulb attachment for ½ thick glass is a versatile seal that can be mounted to the edge of a door or panel for a variety of installation configurations. The soft bulb portion of the seal allows doors to swing both in and out of the enclosure if desired.



For 1/4" to 1/2" Thick Glass



This SGS Clear 'L' Angle Jamb is used for both hinge and strike jambs. It can be adhered to the wall or a fixed panel using clear very hi-bond tape. It is commonly used as a jamb for neo-angle installations when a clean look is most desired.



SGS 3/8" Polycarbonate U with 90-Degree Vinyl Finseal

SGS Polycarbonate 'U' with 90-degree vinyl fin seals multiple uses include applying to the sliding door or fixed panel of a streamline sliding door system, or as a 90-degree seal for a fixed panel meeting a door at 90-degree.



SGS One-Piece Bottom Rail With Clear Wipe for 3/8" Glass

This SGS One-Piece Bottom Rail is snapped on the bottom of the door to achieve a seal, because it is a single-piece sweep, it means the vinyl seal that hangs down from the sweep will firmly direct the water back into the shower enclosure.



Call us for further assistance: 954-499-9450 www.structureglasssolutions.com



Structure Glass Solutions 13202 NW 107th Ave. Unit 8 Hialeah Gardens, FL 33018 Phone- 954-499-9450 Fax- 954-447-0515



